



100



points to the release predecessor

means that B is an extension of A

FIG. 2



E	V_2	<u> </u>	V_1	Context chain	Condition
(SEM, 3.5)					
	(SEM, 3.5)		+		
			(SEM, 3.5) —	→	
				(SEM, 3.5)	
		<u> </u>	R ₁		$(SEM,3.5) \in Def(R_1)$
	·		(SEM, 3.2) —	→	
		 		(SEM, 3.2)	
	·				$(SEM,3.2)\notin Def(R_1)$
	R ₂	· · ·			$(SEM,3.5) \in Def(R_2)$
	(BW, 30B)		+		
			(BW, 30B)	₹	
				(BW, 30B)	
		· · · · · · · · · · · · · · · · · · ·	R_1		$(BW, 30B) \in Def(R_1)$
			(BW, 30A) —	₹	
	 			(BW, 30A)	
	 	······································			(BW, 30A) ∉ Def(R ₁)
					(BW, 30B) ∉ Def(R ₂)

FIG. 4




FIG. 5




FIG. 6




FIG. 7

Matter No.: 13913-194001

Applicant(s): Martin Erdtmann, et al.

CONTEXT RESOLUTION




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13





FIG. 14

First level:



Second level:

Third level:




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24





FIG. 25

Level 1:

ABC 1.5

Level 2:



Level 3:




FIG. 26

Applicant(s): Martin Erdtmann, et al. CONTEXT RESOLUTION




FIG. 27




FIG. 28






FIG. 29

Level 1:

(XYZ 1.0)

Level 2:





Level 3:

FIG. 30




FIG. 31




FIG. 32




FIG. 33